

GL4000 CUE SHEET – Use this page to record your mixer settings

<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V	<input type="checkbox"/> +48V
<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO	<input type="checkbox"/> PHONO

GL4000 CUE SHEET – Use this page to record your mixer settings

1	2	3	4	A	B	C	D						
<p>OPERATING MODES FRONT-OF-HOUSE STAGE MONITOR RECORDING LIVE</p> <p>METERS 1-10 METER 1-10: POST, PRE, TRIM, CO, DB, 0, -3, -6, -9, -12, -16, -20, -30</p> <p>MIX/AUX REVERSES MIX A-D, MIX 1-10, MONITOR L, MONITOR R</p> <p>CONTROL PANEL MUTE, SAFE/PREVIEW, AFL, TRIM, POST, PRE, CO, DB, 0, -3, -6, -9, -12, -16, -20, -30</p> <p>PATCH DISPLAY QUICK SOLID (CUE) HOLD EDIT SAFES</p> <p>ALLEN & HEATH GL4000</p>													